



PITTS PARK FLYER SPECS	PROVEN SYSTEM RECOMMENDATIONS	MATERIALS LIST
Wing Span..... 30" Length..... 30" Weight..... 11-13oz Power..... GWS EPS350C Max 3D Power... Brushless motor fit to GWS EPS350C gearbox Prop..... GWS 11x4 -- 12x4 Ch..... 4 Battery..... 3 Cell-700 to 1200mAh-Li-Poly	<b>Rx and Servos</b> * GWS R-4PH 4ch receiver * 3 Waypoint W-084 Micro Servos or Hitec HS 55 <b>Brushless Motor (good performance)</b> * GWS EPS350C "DS" Gearing Motor * GWS ICS-300 Speed Controller * Prop GWS 12x6 Slow Flyer * 3 Cell-800-1200mAh-11.1v Li-Poly Battery <b>Brushless Motor</b> * AXI 2212/34 outrunner (max performance) * Phoenix 25amp speed controller * 3 Cell 700-1200mAh-11.1v Li-Poly Battery * GWS 12x6 Slow Flyer or APC 12x3.8 electric OR... * HiMaxx 4100 or 5400 (Max performance) w/GWS 350C "DS" gearbox * Phoenix 25amp speed controller * 3 Cell 700-1200mAh-11.1v Li-Poly Battery * GWS 12x6 Slow Flyer	* Depron 6mm White (www.depronusa.com) * 30" 4mm wrapped carbon fiber tube * Medium or Thick foam friendly CA * Foam friendly CA accelerator * JZ Products Super RC "Z" 56 glue * 1" Self-sticking Hook & Loop (Velcro) tape * 1/2" 3M nylon strapping tape * Clear packing tape * 4 Du-Bro Micro Control Horns No. 848 * 4 Du-Bro Micro E/Z Links No. 849 * 1" wide self-sticking hook & Loop (Velcro) * .032 wire control arms * 1/2" Nylon Filament Strapping (3M brand) * Zagi tape for trim scheme (optional) * Straight edge razorblades * No. 11 Xacto knife * Metal yardstick * 3M Photomount Spray Adhesive (See plan number for Depron)

**TIPS:**

© Copyright 2004 3Dbattix.com. All rights reserved. rev-4.0604

